

SERVICES YOU REALLY WANT.



WWW.KSSERVICECENTER.COM

REAL VALUE IS CREATED TOGETHER

KS Service Center, a proud branch of parent company KS Industries, has been building its expertise in slitting high-quality steel since 1975, within a dynamic and growing manufacturing environment. This experience has given us a clear understanding of what is important to you as a customer when slitting and delivering strip steel and sheets: that we think with you and always deliver on time and under the right conditions. Punctuality is our trademark.

We are dedicated to unburdening our customers and this is our main driving force. Our steel is of top quality and supplied by reputed steel mills. We offer strip steel and sheets in any grade or machining required, direct from stock or custom-made to your specifications.

Our approach is based on extensive material knowledge, efficiency and an unwavering commitment to quality. As your reliable link in the supply chain, we are committed to working closely with you to provide high-quality services.

And all in line with our green ambitions. Our CO₂-reduced steel, electric company cars, electric forklifts, and solar panels on our roof attest to our commitment to a greener future. We also keep sustainability in mind at the office, because we believe that environmental responsibility is essential for the well-being of future generations. At KS Service Center, we are committed to exceeding your expectations and delivering on our promise:

SERVICES YOU REALLY WANT.

**“WE ACTUALLY JUST ALMOST
WORK AS COLLEAGUES TOGETHER
WITH KS SERVICE CENTER. ONE
SHORT PHONE CALL OR EMAIL AND
EVERYTHING IS IMMEDIATELY PUT
INTO GO. HALF A WORD THEY HAVE
ENOUGH.”**

Purchaser trade and distribution company

**“WHEN WE HAD TO STEP UP A GEAR TO
HELP ONE OF OUR CUSTOMERS OUT OF
A JAM, PETER FROM KS SERVICE CENTER
WAS ABLE TO DELIVER THE REQUESTED
STEEL VERY QUICKLY WITH CREATIVITY
AND HARD WORK. THIS ALLOWED US TO
CONTINUE PRODUCTION AT ONCE AND
SURPRISE OUR CUSTOMER.”**

Director-owner company in metalworking





OUR SERVICES

Whether it is a single coil or a complex, continuous order series with various specifications, we are committed to the highest level of service regarding delivery time, flexibility, and efficiency.

With excellent conditions and agreements on delivery times, our team can best help you achieve your goals. As a customer of KS Service Center, you have your own, permanent contact person who is dedicated to relieving you of all your worries: from procurement and production to packaging, including logistics to the front door.

We promise reliability, sustainability, and flexibility in all our services. With clear agreements and clear communication via short lines, your contact person will keep you informed of costs, delivery times, and other important information regarding your order. We consider good accessibility crucial in this regard, even outside office hours if necessary, because we know that work in the steel industry never stops.

At KS Service Center, we combine our core values with a strong focus on sustainability, because we believe that environmental responsibility is essential for the well-being of future generations.



RANGE AND CAPACITY

Accuracy and quality are the main drivers for us when processing strip steel and sheet steel . We work with state-of-the-art slitting lines that produce to your specifications with very precise tolerances. And our sheet metal line enables us to deliver steel sheets exactly as you need them.

We are also very experienced in processing non-standard dimensions. We can handle almost any size. Contact us and experience how we can help you quickly and efficiently with specific requirements for your order.

SPECIFICATIONS

Coils

Input coil width	Between 120 -1600 mm
Inside diameter	508 / 610 / 762 mm
Outside diameter	2000 mm (maximum)
Maximum coil weight capacity	26 tons

Steel strips

Inside diameter		508 / 610 mm
Outside diameter		2000 mm (maximum)
Maximum capacity coil weight		26 ton
Thickness*		Between 0.4 mm to 8.0 mm
Width	Minimum slit width	25 mm
	Maximum slit width	1.600 mm

Sheet

Thickness		Between 0.4 mm to 8.0 mm*
Width	Minimum width	675 mm, depending on strip thickness
	Maximum width	2000 mm
	Thickness tolerance	0 / +3 mm*
	Length tolerance	0 / +10 mm

* Thickness tolerances according to EN standard, more accurate possible by agreement.

** Different sizes possible. Please contact us for this.

PACKAGING

Depending on the industry in which you operate, you will have specific requirements regarding the packaging of your strip steel or sheets. We ensure that your end product, after strict final inspection, the product is packed and shipped impeccably according to your specifications.

PACKAGING



- Coil trolley packed and bundled
- Horizontally on pallet ("eye to the sky")
- Vertically on pallet ("eye to the side")
- Maximum pallet weights in consultation with you
- Export packaging
- Custom-made packaging in consultation with you

We value sustainability. Therefore, our wooden pallets are manufactured from PEFC or FSC-certified wood, originating from sustainably managed forests.

Logistical handling, including customs documents and other administration for shipments abroad is handled provided by us door-to-door.

"WE HAVE QUITE A FEW REQUIREMENTS WHEN IT COMES TO PACKAGING. AT KS SERVICE CENTER THEY UNDERSTAND THAT AND WE ALWAYS GET THE LOADS PERFECTLY PACKED AND THEREFORE UNDAMAGED."

Purchaser in automotive industry



SUSTAINABLE STEEL

Choosing low-CO₂ steel is more than a material choice – it's a strategic business decision. Using Sustainable Steel strengthens your competitive position, as CO₂ criteria are increasingly decisive in tenders and public procurement. KS Service Center supplies all required certificates and documentation with every delivery of Sustainable Steel, ensuring full transparency and compliance.

Sustainable Steel will reduce your environmental footprint, and demonstrate sustainability leadership within your industry. It's a step toward a low-carbon future and a sustainable planet for generations to come.

At KS Service Center, we provide high quality Sustainable Steel with reliable delivery, flexible solutions, and expert guidance to help reduce your CO₂ footprint. Together, we can build a more sustainable future.

“THE OTHER DAY I GOT A CALL BECAUSE OUR ORDER WAS DIFFERENT FROM WHAT WE NORMALLY ORDER. OUR ORDER WAS CORRECT, BECAUSE WE HAD RECEIVED AN EXTRA JOB, BUT THIS ALERTNESS IS REMARKABLE.”

Manager of a metalworking business

“WHEN WE NEEDED A NOT SO COMMON QUALITY OF STEEL, IT WAS NO PROBLEM. IT WAS ALSO DELIVERED SURPRISINGLY QUICKLY.”

Purchaser construction company



SHEETS

KS Service Center is your reliable supplier of steel sheets, suitable for a wide range of applications across various industries such as construction and manufacturing sector. Our range includes various dimensions and finishes to meet your specific requirements.

Every piece of sheet we supply is manufactured according to strict industry standards, utilizing the latest technologies to ensure high quality and durability. Known for its clean, smooth finish, our Magnelis® steel is widely used in construction projects requiring strong corrosion resistance.

PER PACKAGE

MAGNELIS®

THICKNESS (MM)	QUALITY (EN 10346)	COATING	WIDTH (MM)
1	S250GD / S350GD	ZM120 / ZM310	1250 / 1500
1.5	S250GD / S350GD	ZM120 / ZM310	1250 / 1500
2	S250GD / S350GD	ZM120 / ZM310	1250 / 1500
2.5	S250GD / S350GD	ZM120 / ZM310	1250 / 1500
3	S250GD / S350GD	ZM120 / ZM310	1250 / 1500
3.5	S250GD / S350GD	ZM120 / ZM310	1250 / 1500
4	S250GD / S350GD	ZM120 / ZM310	1250 / 1500

Length on request (length up to 8.000 Mm)

All these sheets are also available in sustainable steel.

Minimum order quantity = 2 tons

COMPLETE OFFER

MAGNELIS®

QUALITY	METALLIC COATING (ZM)	THICKNESS (MM)	WIDTH (MM)
DX51D	ZM90 - ZM430 (ZM800*)	0,45 - 6	675 - 1575*
DX52D	ZM90 - ZM430 (ZM800*)	0,45 - 6	675 - 1575*
DX53D	ZM90 - ZM430 (ZM800*)	0,45 - 6	675 - 1575*
DX54D	ZM90 - ZM430 (ZM800*)	0,45 - 6	675 - 1575*
DX56D	ZM90 - ZM430 (ZM800*)	0,45 - 6	675 - 1575*
S220GD	ZM90 - ZM430 (ZM800*)	0,45 - 6	675 - 1575*
S250GD	ZM90 - ZM430 (ZM800*)	0,45 - 6	675 - 1575*
S320GD	ZM90 - ZM430 (ZM800*)	0,45 - 6	675 - 1575*
S350GD	ZM90 - ZM430 (ZM800*)	0,45 - 6	675 - 1575*
S390GD	ZM90 - ZM430 (ZM800*)	0,45 - 6	675 - 1575*
S420GD	ZM90 - ZM430 (ZM800*)	0,45 - 6	675 - 1575*
S450GD (HYPER)	ZM90 - ZM430 (ZM800*)	0,45 - 6	675 - 1575*
S550GD (HYPER)	ZM90 - ZM430 (ZM800*)	0,45 - 6	675 - 1575*
HX300LAD	ZM90 - ZM430 (ZM800*)	0,45 - 6	675 - 1575*
HX340LAD	ZM90 - ZM430 (ZM800*)	0,45 - 6	675 - 1575*
HX420LAD	ZM90 - ZM430 (ZM800*)	0,45 - 6	675 - 1575*
HX420LAD	ZM90 - ZM430 (ZM800*)	0,45 - 6	675 - 1575*
HX500LAD	ZM90 - ZM430 (ZM800*)	0,45 - 6	675 - 1575*

Minimum order quantity = on request

- 3.1 CERTIFICATE INCLUDED
- 1/2 THICKNESS TOLERANCE
- LENGTH TOLERANCE 0/+10 MM



QUALITY AND STEEL SPECIFICATIONS - STRIPS

At KS Service Center, we can supply almost any quality of strip steel to you. We guarantee the quality of all our deliveries. Our company is ISO 9001 certified, as are our steel suppliers. In addition, we are ISO 14001 and ISO 45001 certificates as well, underscoring our commitment to environmental management. We supply a variety of high-quality steel processing industries with whom we maintain long-term relationships.

MAGNELIS®

QUALITY	ZINC COATING (ZM)	THICKNESS (MM)	WIDTH (MM)
DX51D	ZM90 → ZM430 (ZM800*)	0,45 → 6*	25 → 1575*
DX52D	ZM90 → ZM430 (ZM800*)	0,45 → 6*	25 → 1575*
DX53D	ZM90 → ZM430 (ZM800*)	0,45 → 6*	25 → 1575*
DX54D	ZM90 → ZM430 (ZM800*)	0,45 → 6*	25 → 1575*
DX56D	ZM90 → ZM430 (ZM800*)	0,45 → 6*	25 → 1575*
S220GD	ZM90 → ZM430 (ZM800*)	0,45 → 6*	25 → 1575*
S250GD	ZM90 → ZM430 (ZM800*)	0,45 → 6*	25 → 1575*
S320GD	ZM90 → ZM430 (ZM800*)	0,45 → 6*	25 → 1575*
S350GD	ZM90 → ZM430 (ZM800*)	0,45 → 6*	25 → 1575*
S390GD	ZM90 → ZM430 (ZM800*)	0,45 → 6*	25 → 1575*
S420GD	ZM90 → ZM430 (ZM800*)	0,45 → 6*	25 → 1575*
S450GD (HYPER)	ZM90 → ZM430 (ZM800*)	0,45 → 6*	25 → 1575*
S550GD (HYPER)	ZM90 → ZM430 (ZM800*)	0,45 → 6*	25 → 1575*
HX300LAD	ZM90 → ZM430 (ZM800*)	0,45 → 6*	25 → 1575*
HX340LAD	ZM90 → ZM430 (ZM800*)	0,45 → 6*	25 → 1575*
HX420LAD	ZM90 → ZM430 (ZM800*)	0,45 → 6*	25 → 1575*
HX460LAD	ZM90 → ZM430 (ZM800*)	0,45 → 6*	25 → 1575*
HX500LAD	ZM90 → ZM430 (ZM800*)	0,45 → 6*	25 → 1575*

HOT ROLLED PICKLED

QUALITY	THICKNESS (MM)	WIDTH (MM)
DD11	1,5 → 8*	25 → 1575*
DD12	1,5 → 8*	25 → 1575*
DD13	1,5 → 8*	25 → 1575*
DD14	1,5 → 8*	25 → 1575*
S235JR	1,5 → 7*	25 → 1575*
S275JR	1,5 → 8*	25 → 1575*
S355JR	1,5 → 8*	25 → 1575*
S315MC	1,5 → 8*	25 → 1575*
S355MC	1,5 → 8*	25 → 1575*
S390MC	1,5 → 6*	25 → 1575*
S420MC	1,5 → 6*	25 → 1575*
S460MC	1,5 → 6*	25 → 1575*
S500MC	1,5 → 6*	25 → 1575*



GALVANIZED (SENDZIMIR)

QUALITY	ZINC COATING (Z)	THICKNESS (MM)	WIDTH (MM)
S250GD	Z275	1.5*	25 → 1500*
S250GD	Z275	2*	25 → 1500*
S250GD	Z275	2.5*	25 → 1500*
S250GD	Z275	3*	25 → 1500*
S350GD	Z275	1.5*	25 → 1500*
S350GD	Z275	1.75*	25 → 1500*
S350GD	Z275	2*	25 → 1500*
S350GD	Z275	2.5*	25 → 1500*
S350GD	Z275	3*	25 → 1500*
S350GD	Z275	4*	25 → 1500*

Please contact us if the grade you require is not listed here. We can almost certainly supply the grade of steel you need, including your desired posttreatment.

Our metallurgical specialists will advise you on the right grade of steel for your specific application. They will be happy to help you make the best choice.

*On request

SUSTAINABILITY ACHIEVEMENTS

Over the past years, KS Service Center has taken significant steps towards becoming the most sustainable steel service center in the Benelux.

ISO 14001

Our ISO 14001 certification demonstrates compliance with the international standard for environmental management. This structured system allows us to monitor and continuously reduce our environmental impact.

CO₂ PERFORMANCE LADDER

We have achieved Level 3 on the CO₂ Performance Ladder, a leading Dutch sustainability tool that supports organizations in measuring and reducing CO₂ emissions. This underlines our strong commitment to minimizing the carbon footprint, both in our operations and across the supply chain.

SUSTAINABLE ELECTRICITY

Our energy use has been made more sustainable through two main initiatives. Solar panels installed at our Moerdijk production facility now generate more than 30% of our energy on-site. The remaining electricity is supplied by a certified sustainable energy provider, making our total energy consumption completely CO₂-free.

SUSTAINABLE PARTNERSHIP

In cooperation with ArcelorMittal and Van der Valk Solar Systems, we have launched a fully sustainable supply chain for solar mounting systems. This includes using XCarb®-certified Magnelis® steel, processing entirely with renewable energy, and delivery via electric transport. The result: more than 80% CO₂ reduction – a European first in the solar sector.

These achievements reflect our belief that sustainability, alongside quality and flexibility, is not just a goal but a core part of how we work. And we are not stopping here – new initiatives are in the pipeline.



SERVICES YOU REALLY WANT.

We would like to get acquainted with you to see how we can add optimal value for you as a chain partner.

What you can count on with us:

- Very fast delivery times and extreme flexibility
- Sharp purchasing strategy, so good selling prices
- Careful final inspection and packaging
- Complete logistical handling, door-to-door
- Short lines and crystal-clear communication

WE WOULD LIKE TO MEET WITH YOU TO HEAR WHAT YOUR CHALLENGES ARE.

Gregory Rombaut	+32 472 180 945
Peter van Vugt	+31 6 538 555 80

More information can be found at www.ksservicecenter.com.



KS SERVICE CENTER

Production location and office

Apolloweg 1
4782 SB Moerdijk (NL)

Distribution center

Oostelijke Randweg 30
4782 PZ Moerdijk (NL)

+31 168 386 299
contact@ksservicecenter.com
www.ksservicecenter.com

Gregory Rombaut	+32 472 180 945
Peter van Vugt	+31 (0)6 538 555 80

